

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((("5596743") or ("4870302")).PN.	USPAT	OR	OFF	2007/12/06 12:49
L2	29	("3987286" "4422072" "4642487" "4703206" "4706216" "4758985" "4855619" "4870302" "4930097" "4992680" "5015885" "5027315" "5036473" "5075576" "5105388" "5140193" "5185706" "5317209" "5329460").PN. OR ("5596743").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/06 13:16
L3	0	(pld or (programmable adj1 logic) or fpga) and ((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) SAME (input adj2 (circuit or section or bank or block)) SAME (output adj2 (circuit or section or bank or block)) SAME (process\$3 adj2 (section or stage or portion)) SAME ((storage or memory) adj2 (section or stage or portion)) SAME ((storage or memory) NEAR2 control\$4) SAME ((setting or set\$1 or program\$4 or configur\$4) NEAR1 (information or data or bit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:33
L4	174	(pld or (programmable adj1 logic) or fpga) and ((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) and (input adj2 (circuit or section or bank or block)) and (output adj2 (circuit or section or bank or block)) and (process\$3 adj2 (section or stage or portion)) and ((storage or memory) adj2 (section or stage or portion)) and ((storage or memory) NEAR2 control\$4) and ((setting or set\$1 or program\$4 or configur\$4) NEAR1 (information or data or bit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 13:54
L5	2	(pld or (programmable adj1 logic) or fpga) and (((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) SAME ((storage or memory) adj2 (section or stage or portion)) SAME ((storage or memory) NEAR2 control\$4) SAME ((setting or set\$1 or program\$4 or configur\$4) NEAR1 (information or data or bit)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:13

EAST Search History

L6	35	(pld or (programmable adj1 logic) or fpga) and (((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) WITH parallel\$3) and (dynamic adj1 (configur\$5 or program\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:11
L7	56	aoyama-yasuhiro.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:13
L8	4992	(326/37-47).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 14:13
L9	238	8 and (dynamic\$3 NEAR2 (setting or set\$1 or program\$5 or configur\$5 or reconfigur\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 14:15
L10	15	("4975932" "5132993" "5159616" "5426378" "5426379" "5600263" "5646544" "5760602").PN. OR ("6404224").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/06 15:00
L11	59	("4700187" "4845633" "4870302" "4918440" "5019736" "5089973" "5144166" "5155389" "5208491" "5239510" "5313119" "5336950" "5347519" "5361373" "5365125" "5426378" "5442246" "5465056" "Re34363").PN. OR ("5646544").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/06 15:14

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((p1d or (programmable adj1 logic) or fpga) and ((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) SAME (input adj2 (circuit or section or bank or block)) SAME (output adj2 (circuit or section or bank or block)) SAME (process\$3 adj2 (section or stage or portion)) SAME ((storage or memory) adj2 (section or stage or portion)) SAME ((storage or memory) NEAR2 control\$4) SAME ((setting or set\$1 or program\$4 or configur\$4) NEAR1 (information or data or bit))).clm.	US-PGPUB	OR	ON	2007/12/06 16:10
L2	0	((p1d or (programmable adj1 logic) or fpga) and ((logic\$3 or function\$3) NEAR1 (unit or block or cell or circuit or element)) and (input adj2 (circuit or section or bank or block)) and (output adj2 (circuit or section or bank or block)) and (process\$3 adj2 (section or stage or portion)) and ((storage or memory) adj2 (section or stage or portion)) and ((storage or memory) NEAR2 control\$4) and ((setting or set\$1 or program\$4 or configur\$4) NEAR1 (information or data or bit))).clm.	US-PGPUB	OR	ON	2007/12/06 16:10